



# Loomis Basin Equine

MEDICAL CENTER

## Recommended Pregnant Mare & Foal Vaccination Program <sup>(1/16)</sup>

VACCINE	ROUTE OF ADMIN*	PREGNANT MARES	FOALS <sup>4</sup>
Tetanus Toxoid/Sleeping Sickness/ West Nile (Fort Dodge - West Nile Innovator®) <sup>1</sup>	IM	Once or twice annually with one vaccine one month before foaling	
Flu/Rhino <sup>2</sup> - Killed (Calvenza®)	IM	Twice annually with one vaccine one month before foaling	
Rabies <sup>3</sup>	IM	Annually	
Rhino EHV 1 - Killed (Prodigy® or Pneumobort®)	IM	5, 7, 9 months of pregnancy	
Strangles	IM	One month before foaling (If exposure)	
Tetanus Anti-Toxin	IM		In case of a penetrating wound before Tetanus Toxoid series starts
Tetanus Toxoid/Sleeping Sickness/West Nile	IM		5 and 6 months <sup>5</sup>
Rhinopneumonitis (Killed)	IM		5 and 6 months <sup>5</sup>
Rabies	IM		7 and 8 months
Influenza	IM		7 and 8 months
Strangles (if exposure)	IN		Two administrations 3 weeks apart; Start at 4-6 mos

\* IM= Intramuscular IN= Intranasal

- This West Nile vaccine has not been tested by the manufacturer or approved for pregnant mares; however, a large study of pregnant mares in Kentucky and Texas showed no increase in pregnancy loss due to vaccination with the killed virus vaccine. A booster 4 to 6 weeks before foaling provides foals with colostral protection that lasts 3 to 4 months.
- Mares in later pregnancy can be vaccinated against just the Influenza if they are on the EHV-1 protocol for abortion prevention.
- This vaccine is best given before breeding or after foaling.
- These recommendations apply to the calendar year of birth; integrate the weanling into the adult schedule as they become yearlings.
- Foals from non-vaccinated or under-vaccinated mares should start their series earlier.

FOR MORE INFORMATION:

# (916) 652 7645

CONNECT WITH US:

- facebook.com/LBEMC
- @loomis\_basin\_equine

Limited time only. Some restrictions may apply. Call for complete details.